



FEB 10 2020

Mr. Mac McCullough
Pacific Southwest Container
4530 Leckron Rd
Modesto, CA 95355

Re: Notice of Preliminary Decision – Title V Permit Renewal
Facility Number: N-3606
Project Number: N-1183200

Dear Mr. McCullough:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Pacific Southwest Container at 4530 Leckron Rd, Modesto, California.

The notice of preliminary decision for this project has been posted on the District's website (www.valleyair.org). After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the renewed Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,


Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Courtney Graham, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via EPS

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

Proposed Title V Permit Renewal Evaluation Pacific Southwest Container N-3606

TABLE OF CONTENTS

I.	PROPOSAL	2
II.	FACILITY LOCATION.....	2
III.	EQUIPMENT LISTING.....	3
IV.	GENERAL PERMIT TEMPLATE USAGE.....	3
V.	SCOPE OF EPA AND PUBLIC REVIEW.....	3
VI.	FEDERALLY ENFORCEABLE REQUIREMENTS	3
VII.	REQUIREMENTS NOT FEDERALLY ENFORCEABLE	5
VIII.	PERMIT REQUIREMENTS	5
IX.	PERMIT SHIELD	9
X.	CALIFORNIA ENVIRONMENTAL QUALITY ACT	10
XI.	PERMIT CONDITIONS.....	10

ATTACHMENTS.....	10
------------------	----

- A. DRAFT RENEWED TITLE V OPERATING PERMIT
- B. PREVIOUS TITLE V OPERATING PERMIT
- C. DETAILED SUMMARY LIST OF FACILITY PERMITS

TITLE V PERMIT RENEWAL EVALUATION

Paperboard and Corrugated Packaging Manufacturer

Engineer: Vanesa Sandoval
Date: February 3, 2020

Facility Number: N-3606
Facility Name: Pacific Southwest Container
Mailing Address: 4530 Leckron Rd
Modesto, CA 95357

Contact Name: Mac McCollough
Phone: (209) 557-5270

Responsible Official: Mac McCollough
Title: Sr. Vice President of Quality and Environmental Control

Project # : N-1183200
Deemed Complete: October 8, 2018

I. PROPOSAL

Pacific Southwest Container was issued a Title V permit on January 31, 2005. The last Title V renewal was issued on May 7, 2014. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the issuance of the last Title V permit renewal.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

Pacific Southwest Container is located at 4530 Leckron Rd in Modesto, CA.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant is not proposing to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated or Evaluated

- District Rule 2020, Exemptions (amended August 18, 2011 ⇒ amended December 18, 2014)
- District Rule 2201, New and Modified Stationary Source Review Rule (amended April 21, 2011 ⇒ amended August 15, 2019)
- District Rule 2410, Prevention of Significant Deterioration (Adopted June 16, 2011)
- District Rule 2520, Federally mandated Operating Permits (amended June 21, 2001)
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos (amended February 27, 2014)
- 40 CFR Part 64, Compliance Assurance Monitoring (October 22, 1997)
- 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air Conditioners (amended August 23, 2019)
- 40 CFR Part 82, Subpart F, Recycling and Emissions Reduction (amended December 27, 2017)

B. Rules Removed

There are no applicable rules that were removed since the last Title V renewal.

C. Rules Added

No applicable rules have been added since the last Title V renewal.

D. Rules Not Updated

- District Rule 1070, Inspections (amended December 17, 1992)
- District Rule 1100, Equipment Breakdown (amended December 17, 1992)
- District Rule 1160, Emission Statements (amended November 18, 1992)
- District Rule 2010, Permits Required (amended December 17, 1992)
- District Rule 2031, Transfer of Permits (amended December 17, 1992)
- District Rule 2040, Applications (amended December 17, 1992)
- District Rule 2070, Standards for Granting Applications (amended December 17, 1992)
- District Rule 4101, Visible Emissions (amended February 17, 2005)
- District Rule 4601, Architectural Coatings (amended December 17, 2009)
- District Rule 4607, Graphic Arts and Paper, Film, Foil and Fabric Coatings (amended December 18, 2008)
- District Rule 4653, Adhesives and Sealants (amended September 16, 2010)
- District Rule 4663, Organic Solvent Cleaning, Storage, and Disposal (amended September 20, 2007)
- District Rule 8011, General Requirements (amended August 19, 2004)
- District Rule 8021, Construction, Demolition, Excavation, Extraction and Other Earthmoving Activities (amended August 19, 2004)
- District Rule 8031, Bulk Materials (amended August 19, 2004)

- District Rule 8041, Carryout and Trackout (amended August 19, 2004)
- District Rule 8051, Open Areas (amended August 19, 2004)
- District Rule 8061, Paved and Unpaved Roads (amended August 19, 2004)
- District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas (amended September 16, 2004)

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit".

For this facility, the following are not federally enforceable and will not be discussed in further detail:

A. Rules Added/Updated

None

B. Rules Not Updated

District Rule 4102, Nuisance (as amended December 17, 1992)

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit or most recent renewal of the Title V permit.

A. District Rule 2020 - Exemptions

District Rule 2020 lists equipment which is specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions. The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed in this evaluation.

B. District Rule 2201 - New and Modified Stationary Source Review Rule (NSR)

District Rule 2201 has been amended since this facility's initial Title V permit was issued. However, the requirements of this rule are only triggered at the time the source undergoes a modification. All applicable requirements from any NSR permit actions have already been incorporated into the current Title V permit.

C. District Rule 2410 - Prevention of Significant Deterioration (PSD)

Requirements of this rule are only triggered at the time the source undergoes a modification. This source has never been subject to this rule, therefore there are no PSD permit applicable requirements to include in the Title V permit.

D. District Rule 2520 - Federally Mandated Operating Permits

No changes to this Rule have occurred since issuance of the previous TV permit; however, greenhouse gas emissions will be addressed under Rule 2520 during this renewal.

Greenhouse Gas Discussion

There are no federally applicable Greenhouse Gas (GHG) requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40 CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40 CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

E. 40 CFR Part 61, Subpart M - National Emission Standard for Asbestos

40 CFR 61, Subpart M was amended since the previous renewed TV permit was issued. However, the amendments to this subpart do not have any effect on existing permit requirements as addressed by condition 36 on permit N-3606-0-4 of the draft renewed permit.

F. 40 CFR Part 64 - Compliance Assurance Monitoring(CAM)

40 CFR Part 64 requires Compliance Assurance Monitoring for units that meet the following three criteria:

- 1) the unit must have an emission limit for the pollutant;
- 2) the unit must have add-on controls for the pollutant; these are devices such as flue gas recirculation (FGR), baghouses, and catalytic oxidizers; and
- 3) the unit must have a pre-control potential to emit of greater than the major source thresholds.

Pollutant	Major Source Threshold (lb/year)
NO _x	20,000
SO _x	140,000
PM ₁₀	140,000
CO	200,000
VOC	20,000

None of the permitted equipment at this facility is equipped with an add-on control for a pollutant. Therefore, the permit units listed below are not subject to CAM.

- a. N-3606-4-7: CORRUGATED BOARD MANUFACTURING OPERATION CONSISTING OF AN ASITRADE LAMINATOR SERVED BY A RINGWOOD STARCH MIXING SYSTEM AND A PERMIT EXEMPT STEAM GENERATOR (NATURAL GAS-FIRED, 5.0 MMBTU/HR OR LESS)
- b. N-3606-11-10: CORRUGATED BOARD FINISHING OPERATION CONSISTING OF AN AUTOMATAN MODEL 7000 SHEETFED GLUER
- c. N-3606-13-8: GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 4-COLOR MARTIN MIDLINE MODEL 924 FLEXOGRAPHIC PRINTER (S/N 6208) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)
- d. N-3606-14-8: GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 3-COLOR MARTIN MODEL DRO 1628 FFG FLEXOGRAPHIC PRINTER (S/N 6506) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)

- e. N-3606-16-8: GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 6-COLOR KBA RAPIDA MODEL 162 SHEETFED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 361264 AKA UV64) WITH AN INLINE COATER AND UV DRYER
- f. N-3606-19-6: A CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE DOMINO MODEL 110M II MATIC BOX MAKER (S/N 0349-063-01)
- g. N-3606-21-6: A CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STAUDE WINDOW MACHINE (S/N WSI-2307)
- h. N-3606-23-7: A GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A PLANETA MODEL 105 (8 COLOR) SHEETFED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 364565 AKA UV40) WITH AN INLINE COATER AND UV DRYING SYSTEM
- i. N-3606-24-6:: GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA RAPIDA 6-COLOR 47"X64" FORMAT NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 363742 AKA P64) WITH AN ANILOX TOWER COATER
- j. N-3606-25-4: A CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE INTERNATIONAL PAPERBOX MODEL 6FX-154 20" WEB WIDTH FOLDER GLUER
- k. N-3606-26-7: A GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA MODEL RAPIDA 162A 64" NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 368024 AKA C64)
- l. N-3606-27-5: CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STANDARD MAX 1100 30" WEB WIDTH FOLDER GLUER
- m. N-3606-32-2: A GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-6+LX2 OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN ELECTRICAL HEATER (H64-1)
- n. N-3606-33-1: A GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-8+LEOP OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN AMS MODEL XP-9 UV LED CURING SYSTEM (H64-2)

- o. N-3606-34-1: A MASTERFOLD 110 GNB CARTONPACK GT FOLDER GLUER WITH A MASTER EASYFEEDER GT AUTOMATIC CARTON FEEDER, USED FOR THE MANUFACTURING OF WINE CARTONS AND SIMILAR PRODUCTS
- p. N-3606-36-1: A CORRUGATED BOARD CONTAINERS MANUFACTURING OPERATION CONSISTING OF A HEIDELBERG MODEL DIANA X 115 BOARD FOLDING AND GLUING MACHINE

G. 40 CFR 82, Subpart B - Servicing of Motor Vehicle Air Conditioners

40 CFR 82, Subpart B was amended since the previous renewed TV permit was issued. However, the amendments to this subpart do not have any effect on existing permit requirements as addressed by condition 29 on permit N-3606-0-4 of the draft renewed permit.

H. 40 CFR 82, Subparts F - Recycling and Emissions Reduction

40 CFR 82, Subpart F was amended since the previous renewed TV permit was issued. However, the amendments to this subpart do not have any effect on existing permit requirements as addressed by condition 28 on permit N-3603-0-4 of the draft renewed permit.

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

The applicant does not propose to use any model general permit templates.

B. Requirements not Addressed by Model General Permit Templates

The applicant is not proposing to add a permit shield to their permit.

C. Obsolete Permit Shields From Existing Permit Requirements

There are no obsolete permit shields.

X. CALIFORNIA ENVIRONMENTAL QUALITY ACT

The purpose of the Title V permit renewal is to update the permit to ensure that any changes to regulations since the issuance of the initial Title V permit or most recent renewal of the Title V permit are incorporated as permit requirements.

Per the California Environmental Quality Act (CEQA) Statute §21080.24, and CEQA Guidelines §15281, the issuance, modification, amendment, or renewal of any permit by an air pollution control district or air quality management district pursuant to Title V is exempt from CEQA, unless the issuance, modification, amendment, or renewal authorizes a physical or operational change to a source or facility. There will be no physical or operational change to the source or facility nor will the Title V permit renewal authorize a physical or operational change to the source or facility. Therefore, this project, a Title V permit renewal, is subject to a ministerial action that is exempt from CEQA.

XI. PERMIT CONDITIONS

See Attachment A - Draft Renewed Title V Operating Permit.

ATTACHMENTS

- A. Draft Renewed Title V Operating Permit
- B. Previous Title V Operating Permit
- C. Detailed Summary List of Facility Permits

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-3606-0-4

EXPIRATION DATE: 04/30/2019

FACILITY-WIDE REQUIREMENTS

1. {118} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. {4362} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {4363} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
4. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
5. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
6. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
7. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
8. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
9. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: PACIFIC SOUTHWEST CONTAINER
Location: 4530 LECKRON RD, MODESTO, CA 95357
N-3606-0-4 : Jan 23 2020 3:28PM - SANDOYAV

10. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
11. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
12. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
13. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
14. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
15. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
16. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
17. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
18. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
19. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
20. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
21. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
22. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

23. {4383} No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
24. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
25. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
26. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
27. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
28. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
29. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
30. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
31. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
32. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
33. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
34. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

35. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
36. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
37. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
38. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
39. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), and Rule 111 (Kern, Tulare, Kings). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (02/17/05); 4601, sections 5.1, 5.2, 5.3, 5.8 and 8.0 (12/17/09); 8021 (8/19/04); 8031 (8/19/04); 8041 (8/19/04); 8051 (8/19/04); 8061 (8/19/04); and 8071 (9/16/04). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
42. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin on January 31 of every year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
43. Facility-wide VOC emissions shall not exceed 73,403 lb/year on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
44. The facility shall keep a record of the cumulative facility-wide VOC emissions on a rolling 12-month basis. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit

DRAFT

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-4-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD MANUFACTURING OPERATION CONSISTING OF AN ASITRADE LAMINATOR SERVED BY A RINGWOOD STARCH MIXING SYSTEM AND A PERMIT EXEMPT STEAM GENERATOR (NATURAL GAS-FIRED, 5.0 MMBTU/HR OR LESS)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
3. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
6. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
7. The PM10 emissions shall not exceed 0.24 pounds per ton of dry starch adhesive mixed. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum amount of dry starch adhesive used in the mixer shall not exceed 4,158 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. VOC emissions from this unit shall not exceed 64.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. For each material, the file shall include a material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instructions, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Average daily VOC emissions shall be calculated from monthly records of adhesives, primers, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain daily records of the quantity, in pounds, of dry starch used for this operation. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative annual VOC emissions from this permit. The cumulative total VOC emissions shall be updated monthly. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-11-10

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD FINISHING OPERATION CONSISTING OF AN AUTOMATAN MODEL 7000 SHEET FED GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. VOC emissions from this unit shall not exceed 30.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
11. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
12. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
13. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-13-8

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 4-COLOR MARTIN MIDLINE MODEL 924 FLEXOGRAPHIC PRINTER (S/N 6208) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed the following: (a) for standard graphics printing, use inks with a VOC content of less than or equal to 0.3 lb/gal (less water and exempt compounds); (b) for high end graphics printing, use inks with a VOC content of less than or equal to 1.1 lb/gal (less water and exempt compounds); (c) for high end graphics printing with metallic inks, use inks with a VOC content of less than or equal to 2.5 lb/gal (less water and exempt compounds); (d) fountain solutions - 8.0% by volume. The use of specialty inks shall not exceed 2 gallons in a calendar day and 120 gallons in a calendar year. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 95.0 lb/day or 19,000 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-14-8

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 3-COLOR MARTIN MODEL DRO 1628 FFG FLEXOGRAPHIC PRINTER (S/N 6506) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed the following: (a) for standard graphics printing, use inks with a VOC content of less than or equal to 0.3 lb/gal (less water and exempt compounds); (b) for high end graphics printing, use inks with a VOC content of less than or equal to 1.1 lb/gal (less water and exempt compounds); (c) for high end graphics printing with metallic inks, use inks with a VOC content of less than or equal to 2.5 lb/gal (less water and exempt compounds); (d) fountain solutions - 8.0% by volume. The use of specialty inks shall not exceed 2 gallons in a calendar day and 120 gallons in a calendar year. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 95.0 lb/day or 19,000 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-16-8

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 6-COLOR KBA RAPIDA MODEL 162 SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 361264 AKA UV64) WITH AN INLINE COATER AND UV DRYER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following: 70.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-19-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE DOMINO MODEL 110M II MATIC BOX MAKER (S/N 0349-063-01)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Monthly records shall be maintained and shall include the following information: (a) the manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b) the VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; and (c) the combined monthly VOC emissions from the box making lines (in pounds); (d) the dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
6. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-21-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STAUE WINDOW MACHINE (S/N WSI-2307)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 5.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Monthly records shall be maintained and shall include the following information: (a) the manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b) the VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c) the combined monthly VOC emissions from the box making lines (in pounds); (d) the dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
6. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-23-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A PLANETA MODEL 105 (8 COLOR) SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 364565 AKA UV40) WITH AN INLINE COATER AND UV DRYING SYSTEM

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 70.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-24-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA RAPIDA 6-COLOR 47"X64" FORMAT NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 363742 AKA P64) WITH AN ANILOX TOWER COATER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. The VOC content of the materials shall not exceed the following: inks less than 5% VOC by weight (less water and exempt compounds) and fountain solutions less than 6% by volume; for high end graphics, inks less than 30% VOC by weight (less water and exempt compounds) and fountain solutions less than 5% alcohol substitute by weight and no alcohol. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. VOC emissions from this unit shall not exceed any of the following limits: 99.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520 and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-25-4

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE INTERNATIONAL PAPERBOX MODEL 6FX-154 20" WEB WIDTH FOLDER GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. A record of the cumulative combined daily VOC emissions, in pounds, from the box making lines shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and shall include the following information: (a) the manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b) the VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c) the combined monthly VOC emissions from the box making lines (in pounds); (d) the dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-26-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA MODEL RAPIDA 162A 64" NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 368024 AKA C64)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. VOC emissions from this unit shall not exceed any of the following limits: 99.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) the name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); and (c) the dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-27-5

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STANDARD MAX 1100 30" WEB WIDTH FOLDER GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines permitted under N-3606-19, N-3606-21, N-3606-25 and N-3606-27 shall not exceed 30.0 pounds during any one-day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. A record of the cumulative combined daily VOC emissions, in pounds, from the box making lines shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and shall include the following information: (a) the manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b) the VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; and (c) the combined monthly VOC emissions from the box making lines (in pounds); (d). The dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-32-2

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-6+LX2 OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN ELECTRICAL HEATER (H64-1)

PERMIT UNIT REQUIREMENTS

1. The VOC emissions from this unit shall not exceed 150.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC emissions from this unit shall not exceed 19,500 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The facility-wide VOC emissions, on a rolling 12-month basis, shall not exceed 73,403 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The VOC content of the fountain solutions used shall not exceed 5.0% by volume. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
5. The VOC content of inks used for non-high-end graphics shall not exceed 2.5 lb/gal or 5% by weight, which ever is less. The VOC content of inks used for high-end graphics shall not exceed 2.5 lb/gal or 30% by weight, which ever is less. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
6. The VOC content of solvents utilized shall comply with Table 7 of District Rule 4607. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: (1) wipe cleaning; or (2) application of solvent from hand-held spray bottles from which solvents are dispensed without a propellant-induced force; or (3) non-atomized solvent flow method in which the cleaning solvent is collected in a container or a collection system which is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container; or (4) solvent flushing method in which the cleaning solvent is discharged into a container that is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container. The discharged solvent from the equipment must be collected into containers without atomizing into the open air. The solvent may be flushed through the system by air or hydraulic pressure, or by pumping. [District Rule 4607] Federally Enforceable Through Title V Permit
7. The operator shall store and dispose of fresh or spent solvents and waste solvent cleaning materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when it is empty. [District Rules 4607 and 4663] Federally Enforceable Through Title V Permit
8. Graphic arts materials shall be used in accordance with the manufacturer's instructions. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. The operator shall maintain a current list of solvents that are in use at the stationary source. The list shall include the following information: (1) the name of the solvent and its manufacturer; (2) the VOC content of each solvent expressed in grams/liter or lb/gal; (3) when the solvent is a mixture of different materials that are blended by the operator, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content, as applied; (4) the type of cleaning activity for each solvent that is being used at the stationary source in accordance with the applicable cleaning category specified in Table 1 of this rule; (5) the daily quantity of solvents used in solvent cleaning operations. [District Rule 4663] Federally Enforceable Through Title V Permit
10. The operator shall record, on a monthly basis, the type and amount of all inks used according to one of the following methods; (1) group the quantity of all inks used and identify the maximum VOC content and use the maximum density of 1,010 g/l (8.44 lb/gal), (2) report process inks and pantone inks separately and use specific VOC content and density values for each process ink, and the highest VOC content and the maximum density of 1,010 g/l (8.44 lb/gal) for pantone inks or, (3) report process inks and pantone inks separately and use the maximum VOC content and minimum density value for both process and pantone inks, or use the density of 1,010 g/l (8.44 lb/gal) for pantone inks or, (4) itemize each ink and pantone ink and use the specific VOC content and density value for each. [District Rule 4607] Federally Enforceable Through Title V Permit
11. The operator shall record, on a monthly basis, the type and amount of each coating, adhesive, wash primer and solvent (including cleaning solvents) used. [District Rule 4607] Federally Enforceable Through Title V Permit
12. The operator shall record, on a monthly basis, the type, amount and percent VOC by volume of each fountain solution used. [District Rule 4607] Federally Enforceable Through Title V Permit
13. A record of the daily VOC emissions from this unit shall be kept. The daily VOC emissions may be calculated from the monthly material usage (inks, coatings, solvents, etc.) records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
14. A record of the VOC emissions from this unit, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
15. A record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA upon request. [District Rules 2201, 4607 and 4663] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-33-1

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-8+LEOP OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN AMS MODEL XP-9 UV LED CURING SYSTEM (H64-2)

PERMIT UNIT REQUIREMENTS

1. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
2. VOC emissions from this unit shall not exceed 130.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 39,000 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Total VOC emissions from all permitted graphic arts printing and corrugated board finishing operations in the facility shall not exceed 870 pounds in any one day. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
5. Compliance with the daily VOC emissions limit shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
6. Facility-wide VOC emissions shall not exceed 73,403 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
7. VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5.0% VOC by volume. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
8. Permittee shall utilize organic solvents for cleaning operations that complied with the VOC content limit specified in Table 7 of District Rule 4607. [District Rule 4607] Federally Enforceable Through Title V Permit
9. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
11. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Permittee shall store and dispose of fresh or spent solvents and waste solvent cleaning materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when it is empty. [District Rules 4607 and 4663] Federally Enforceable Through Title V Permit
13. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include safety data sheet (SDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
14. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
15. Permittee shall maintain a current list of solvents that are in use at the stationary source. The list shall include the following information: (1) the name of the solvent and its manufacturer; (2) the VOC content of each solvent expressed in grams/liter or lb/gal; (3) when the solvent is a mixture of different materials that are blended by the operator, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content, as applied; (4) the type of cleaning activity for each solvent that is being used at the stationary source in accordance with the applicable cleaning category specified in Table 1 of this rule; (5) the daily quantity of solvents used in solvent cleaning operations. [District Rule 4663] Federally Enforceable Through Title V Permit
16. Records of the daily VOC emissions from this unit shall be kept. Daily VOC emissions may be calculated from the monthly materials (inks, coatings, solvents, fountain solutions, wash primers, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
17. Record of the total daily VOC emissions from all permitted graphic arts printing and corrugated board finishing operations in the facility shall be kept. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
18. Record of the VOC emissions from this unit, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
20. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA inspection upon request. [District Rules 2201, 4607 and 4663] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-34-1

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

MASTERFOLD 110 GNB CARTONPACK GT FOLDER GLUER WITH A MASTER EASYFEEDER GT AUTOMATIC CARTON FEEDER, USED FOR THE MANUFACTURING OF WINE CARTONS AND SIMILAR PRODUCTS

PERMIT UNIT REQUIREMENTS

1. The VOC emissions from this operation shall not exceed 14.3 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC emissions from this operation shall not exceed 4,284 lb in any one year. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The VOC content of the adhesives applied shall not exceed 2.0 percent by weight, less water and exempt compounds. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The facility-wide VOC emissions shall not exceed 73,403 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The operator shall store and dispose of adhesive products and spent solvents and waste solvent materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when the containers are empty. [District Rule 4653] Federally Enforceable Through Title V Permit
6. The operator shall minimize spills of VOC-containing adhesive products and process related waste materials. [District Rule 4653] Federally Enforceable Through Title V Permit
7. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limits specified as follows: A) Product cleaning during manufacturing process or surface preparation for adhesive application, 25 g/l (0.21 lb/gal); B) repair and maintenance cleaning, 25 g/l (0.21 lb/gal); C) cleaning of adhesive application equipment, 25 g/l (0.21 lb/gal). [District Rule 4653] Federally Enforceable Through Title V Permit
8. Records of the VOC content, in grams/liter, of all adhesives, all solvents, and all other VOC containing materials used and stored at the stationary source shall be kept. [District Rule 4653] Federally Enforceable Through Title V Permit
9. Permittee shall keep the following records for solvent cleaning activities: manufacturers product data sheet or MSDS of solvents used, VOC content of solvents in g/l or lb/gal, and the type of cleaning activity for which each solvent is used. [District Rule 4653] Federally Enforceable Through Title V Permit
10. Permittee shall maintain records of the daily VOC emissions from the adhesive operation. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain records of the annual VOC emissions from the adhesive operation. This record shall be updated on at least a monthly basis. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The facility shall keep a record of the cumulative facility-wide VOC emissions on a rolling 12-month basis. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 2201 and 4653] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-36-1

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD CONTAINERS MANUFACTURING OPERATION CONSISTING OF A HEIDELBERG MODEL DIANA X 115 BOARD FOLDING AND GLUING MACHINE

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. VOC content of the adhesives used for this operation shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this permit unit shall not exceed 10.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Total VOC emission from all corrugated board containers manufacturing operations permitted under N-3606-19, N-3606-21, N-3606-25, N-3606-27, and this unit shall not exceed 30.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Facility-wide VOC emissions shall not exceed 73,403 lb/year on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and contain the following information: (a) quantity, and safety data sheet (SDS) or product data sheet showing the material name, manufacture's name, VOC content (as applied, and less water and exempt compounds) of all adhesive, primer, solvent, and cleaning material used on the corrugated board containers manufacturing operations; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds) on the corrugated board containers manufacturing operations; and (c) the dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the daily VOC emissions from this permit unit shall be kept. Daily VOC emissions may be calculated from the monthly materials (adhesive, primer, solvent, cleaning material, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Record of the total daily VOC emissions from all permitted corrugated containers manufacturing operations in the facility shall be kept. Daily VOC emissions may be calculated from the monthly materials (adhesive, primer, solvent, cleaning material, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Previous Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-3606-0-3

EXPIRATION DATE: 04/30/2019

FACILITY-WIDE REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
4. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
5. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
6. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
7. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
8. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
10. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: PACIFIC SOUTHWEST CONTAINER
Location: 4530 LECKRON RD, MODESTO, CA 95357
N-3606-0-3 : Jan 23 2020 3:27PM -- SANDOVAV

11. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
12. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
13. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
14. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
15. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
16. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
17. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
18. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
22. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
23. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

24. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
25. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
26. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
27. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
28. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
29. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
30. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
31. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
32. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
33. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
34. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
35. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
36. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

37. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
38. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
39. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), and Rule 111 (Kern, Tulare, Kings). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (02/17/05); 4601, sections 5.1, 5.2, 5.3, 5.8 and 8.0 (12/17/09); 8021 (8/19/04); 8031 (8/19/04); 8041 (8/19/04); 8051 (8/19/04); 8061 (8/19/04); and 8071 (9/16/04). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
42. On January 31, 2005, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin February 1 of every year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
43. Facility-wide VOC emissions shall not exceed 73,403 lb/year on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
44. The facility shall keep a record of the cumulative facility-wide VOC emissions on a rolling 12-month basis. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-4-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD MANUFACTURING OPERATION CONSISTING OF AN ASITRADE LAMINATOR SERVED BY A RINGWOOD STARCH MIXING SYSTEM AND A PERMIT EXEMPT STEAM GENERATOR (NATURAL GAS-FIRED, 5.0 MMBTU/HR OR LESS)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
3. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
6. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
7. The PM10 emissions shall not exceed 0.24 pounds per ton of dry starch adhesive mixed. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum amount of dry starch adhesive used in the mixer shall not exceed 4,158 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. VOC emissions from this unit shall not exceed 64.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. For each material, the file shall include a material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instructions, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Average daily VOC emissions shall be calculated from monthly records of adhesives, primers, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain daily records of the quantity, in pounds, of dry starch used for this operation. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative annual VOC emissions from this permit. The cumulative total VOC emissions shall be updated monthly. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-11-9

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD FINISHING OPERATION CONSISTING OF AN AUTOMATAN MODEL 7000 SHEETFED GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. VOC emissions from this unit shall not exceed 30.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
11. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
12. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
13. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-13-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 4-COLOR MARTIN MIDLINE MODEL 924 FLEXOGRAPHIC PRINTER (S/N 6208) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed the following: (a) For standard graphics printing, use inks with a VOC content of less than or equal to 0.3 lb/gal (less water and exempt compounds); (b). For high end graphics printing, use inks with a VOC content of less than or equal to 1.1 lb/gal (less water and exempt compounds); (c) For high end graphics printing with metallic inks, use inks with a VOC content of less than or equal to 2.5 lb/gal (less water and exempt compounds); (d) Fountain solutions - 8.0% by volume. The use of specialty inks shall not exceed 2 gallons in a calendar day and 120 gallons in a calendar year. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 95.0 lb/day or 19,000 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-14-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 3-COLOR MARTIN MODEL DRO 1628 FFG FLEXOGRAPHIC PRINTER (S/N 6506) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed the following: (a) For standard graphics printing, use inks with a VOC content of less than or equal to 0.3 lb/gal (less water and exempt compounds); (b). For high end graphics printing, use inks with a VOC content of less than or equal to 1.1 lb/gal (less water and exempt compounds); (c) For high end graphics printing with metallic inks, use inks with a VOC content of less than or equal to 2.5 lb/gal (less water and exempt compounds); (d) Fountain solutions - 8.0% by volume. The use of specialty inks shall not exceed 2 gallons in a calendar day and 120 gallons in a calendar year. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 95.0 lb/day or 19,000 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
12. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. A daily record of the type and amount of flexographic specialty inks used shall be maintained. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
13. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
14. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-16-7

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 6-COLOR KBA RAPIDA MODEL 162 SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 361264 AKA UV64) WITH AN INLINE COATER AND UV DRYER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following: 70.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-19-5

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE DOMINO MODEL 110M II MATIC BOX MAKER (S/N 0349-063-01)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Monthly records shall be maintained and shall include the following information: (a). The manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b). The VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c). The combined monthly VOC emissions from the box making lines (in pounds); (d). The dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
6. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-21-5

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STAUE WINDOW MACHINE (S/N WSI-2307)

PERMIT UNIT REQUIREMENTS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
5. VOC emissions from this unit shall not exceed 5.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Monthly records shall be maintained and shall include the following information: (a). The manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b). The VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c). The combined monthly VOC emissions from the box making lines (in pounds); (d). The dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-23-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A PLANETA MODEL 105 (8 COLOR) SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 364565 AKA UV40) WITH AN INLINE COATER AND UV DRYING SYSTEM

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
9. VOC emissions from this unit shall not exceed any of the following limits: 70.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-24-5

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA RAPIDA 6-COLOR 47"X64" FORMAT NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 363742 AKA P64) WITH AN ANILOX TOWER COATER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. The VOC content of the materials shall not exceed the following: inks less than 5% VOC by weight (less water and exempt compounds) and fountain solutions less than 6% by volume; for high end graphics, inks less than 30% VOC by weight (less water and exempt compounds) and fountain solutions less than 5% alcohol substitute by weight and no alcohol. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. VOC emissions from this unit shall not exceed any of the following limits: 99.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit for this lithographic printing operation using non-heatset inks shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-25-3

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE INTERNATIONAL PAPERBOX MODEL 6FX-154 20" WEB WIDTH FOLDER GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines shall not exceed 30.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. A record of the cumulative combined daily VOC emissions, in pounds, from the box making lines shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and shall include the following information: (a). The manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b). The VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c). The combined monthly VOC emissions from the box making lines (in pounds); (d). The dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-26-6

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA MODEL RAPIDA 162A 64" NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 368024 AKA C64)

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
2. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
3. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limit specified in Table 7. [District Rule 4607] Federally Enforceable Through Title V Permit
4. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
5. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
6. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
7. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607] Federally Enforceable Through Title V Permit
8. The VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5% alcohol substitute by weight and no alcohol. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. VOC emissions from this unit shall not exceed any of the following limits: 99.0 lb/day or 11,500 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Compliance with the daily VOC emissions limit shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
11. The combined daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations shall not exceed 870 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
12. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, density, and composite vapor pressure. [District Rule 4607] Federally Enforceable Through Title V Permit
13. Monthly records shall be maintained and contain the following information: (a). The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c). The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
14. Daily VOC emissions may be calculated from monthly records of inks, fountain solutions, wash primers, coatings, solvents, and cleaning materials used in a calendar month and number of days this unit is operated in a calendar month in order to calculate average daily VOC emissions. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintain a record of the cumulative daily VOC emissions from all facility permitted graphic arts printing and corrugated board finishing operations. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4607] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-27-4

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STANDARD MAX 1100 30" WEB WIDTH FOLDER GLUER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The VOC content of the adhesives used shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this unit shall not exceed 10.0 lb/day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The combined VOC emissions from the box making lines permitted under N-3606-3, N-3606-19, N-3606-21, N-3606-25 and N-3606-27 shall not exceed 30.0 pounds during any one-day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. A record of the cumulative combined daily VOC emissions, in pounds, from the box making lines shall be kept. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and shall include the following information: (a). The manufacturer and the product ID of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (b). The VOC content (as applied) and the VOC content (less water and exempt compounds) of each adhesive, primer, solvent and cleaning material utilized by the box making lines; (c). The combined monthly VOC emissions from the box making lines (in pounds); (d). The dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A record of the daily VOC emissions from this unit, in pounds, shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. A record of the combined daily VOC emissions, in pounds, from the box making lines shall be kept. The daily VOC emissions shall be calculated from the monthly adhesive, primer, solvent, and cleaning material usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-32-1

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-6+LX2 OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN ELECTRICAL HEATER (H64-1)

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
2. The VOC emissions from this unit shall not exceed 150.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The VOC emissions from this unit shall not exceed 19,500 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The facility-wide VOC emissions, on a rolling 12-month basis, shall not exceed 73,403 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The VOC content of the fountain solutions used shall not exceed 5.0% by volume. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
6. The VOC content of inks used for non-high-end graphics shall not exceed 2.5 lb/gal or 5% by weight, whichever is less. The VOC content of inks used for high-end graphics shall not exceed 2.5 lb/gal or 30% by weight, whichever is less. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
7. The VOC content of solvents utilized shall comply with Table 7 of District Rule 4607. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: (1) wipe cleaning; or (2) application of solvent from hand-held spray bottles from which solvents are dispensed without a propellant-induced force; or (3) non-atomized solvent flow method in which the cleaning solvent is collected in a container or a collection system which is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container; or (4) solvent flushing method in which the cleaning solvent is discharged into a container that is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container. The discharged solvent from the equipment must be collected into containers without atomizing into the open air. The solvent may be flushed through the system by air or hydraulic pressure, or by pumping. [District Rule 4607] Federally Enforceable Through Title V Permit
8. The operator shall store and dispose of fresh or spent solvents and waste solvent cleaning materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when it is empty. [District Rules 4607 and 4663] Federally Enforceable Through Title V Permit
9. Graphic arts materials shall be used in accordance with the manufacturer's instructions. [District Rule 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. The operator shall maintain a current list of solvents that are in use at the stationary source. The list shall include the following information: (1) the name of the solvent and its manufacturer; (2) the VOC content of each solvent expressed in grams/liter or lb/gal; (3) when the solvent is a mixture of different materials that are blended by the operator, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content, as applied; (4) the type of cleaning activity for each solvent that is being used at the stationary source in accordance with the applicable cleaning category specified in Table 1 of this rule; (5) the daily quantity of solvents used in solvent cleaning operations. [District Rule 4663] Federally Enforceable Through Title V Permit
11. The operator shall record, on a monthly basis, the type and amount of all inks used according to one of the following methods; (1) group the quantity of all inks used and identify the maximum VOC content and use the maximum density of 1,010 g/l (8.44 lb/gal), (2) report process inks and pantone inks separately and use specific VOC content and density values for each process ink, and the highest VOC content and the maximum density of 1,010 g/l (8.44 lb/gal) for pantone inks or, (3) report process inks and pantone inks separately and use the maximum VOC content and minimum density value for both process and pantone inks, or use the density of 1,010 g/l (8.44 lb/gal) for pantone inks or, (4) itemize each ink and pantone ink and use the specific VOC content and density value for each. [District Rule 4607] Federally Enforceable Through Title V Permit
12. The operator shall record, on a monthly basis, the type and amount of each coating, adhesive, wash primer and solvent (including cleaning solvents) used. [District Rule 4607] Federally Enforceable Through Title V Permit
13. The operator shall record, on a monthly basis, the type, amount and percent VOC by volume of each fountain solution used. [District Rule 4607] Federally Enforceable Through Title V Permit
14. A record of the daily VOC emissions from this unit shall be kept. The daily VOC emissions may be calculated from the monthly material usage (inks, coatings, solvents, etc.) records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
15. A record of the VOC emissions from this unit, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
16. A record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
17. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA upon request. [District Rules 2201, 4607 and 4663] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-33-0

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-8+LEOP OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN AMS MODEL XP-9 UV LED CURING SYSTEM (H64-2)

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. The permittee shall properly use and properly operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rule 4607] Federally Enforceable Through Title V Permit
3. Only flow coater, roll coater, dip coater, foam coater, die coater, hand application methods shall be used to apply coatings. HVLP spray equipment may be used for air dried coatings only. Application equipment shall be operated in accordance with the manufacturer's specifications. [District Rule 4607] Federally Enforceable Through Title V Permit
4. VOC emissions from this unit shall not exceed 130.0 pounds during any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. VOC emissions from this unit shall not exceed 39,000 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Total VOC emissions from all permitted graphic arts printing and corrugated board finishing operations in the facility shall not exceed 870 pounds in any one day. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
7. Compliance with the daily VOC emissions limit shall be calculated as follows: Total daily VOC emissions = {[VOC Content (ink #1) x Daily usage (ink #1) x (1 - 0.95)] + ... + [VOC Content (ink #n) x Daily usage (ink #n) x (1 - 0.95)]} + {[VOC Content (fountain solution #1) x Daily usage (fountain solution #1)] + [VOC Content (wash primer #1) x Daily usage (wash primer #1)] + [VOC Content (cleanup solvent #1) x Daily usage (cleanup solvent #1)] + ... + [VOC Content (fountain solution #n) x Daily usage (fountain solution #n)] + [VOC Content (wash primer #n) x Daily usage (wash primer #n)] + [VOC Content (cleanup solvent #n) x Daily usage (cleanup solvent #n)]}. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
8. Facility-wide VOC emissions shall not exceed 73,403 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
9. VOC content of the materials shall not exceed any of the following limits: inks - less than 5% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); coatings - 2.5 lb/gallon (less water and exempt compounds, as applied); inks for high end graphics - less than 30% VOC by weight (less water and exempt compounds), or 2.5 lb/gallon (less water and exempt compounds, as applied); fountain solutions - less than 5.0% VOC by volume. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

10. Permittee shall utilize organic solvents for cleaning operations that complied with the VOC content limit specified in Table 7 of District Rule 4607. [District Rule 4607] Federally Enforceable Through Title V Permit
11. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: wipe cleaning; application of solvent using nonpropellant-induced, hand-held spray bottles; non-atomized solvent flow method, or solvent flushing method. [District Rule 4607] Federally Enforceable Through Title V Permit
12. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles. [District Rule 4607] Federally Enforceable Through Title V Permit
13. For a permittee using any solvent containing more than 25 g/L of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose component part(s) being cleaned during washing, rinsing, draining procedures and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607] Federally Enforceable Through Title V Permit
14. Permittee shall store and dispose of fresh or spent solvents and waste solvent cleaning materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when it is empty. [District Rules 4607 and 4663] Federally Enforceable Through Title V Permit
15. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include safety data sheet (SDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607] Federally Enforceable Through Title V Permit
16. Monthly records shall be maintained and contain the following information: (a) The name, type, quantity and VOC content (in lb/gal, less water and exempt compounds) of all inks, fountain solutions, wash primers, coatings, adhesives, solvents, and cleaning materials used or stored at the facility; (b) The combined total amount of VOC's emitted from the use of all VOC containing material (in pounds); (c) The dates of operation of this permit unit. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
17. Permittee shall maintain a current list of solvents that are in use at the stationary source. The list shall include the following information: (1) the name of the solvent and its manufacturer; (2) the VOC content of each solvent expressed in grams/liter or lb/gal; (3) when the solvent is a mixture of different materials that are blended by the operator, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content, as applied; (4) the type of cleaning activity for each solvent that is being used at the stationary source in accordance with the applicable cleaning category specified in Table 1 of this rule; (5) the daily quantity of solvents used in solvent cleaning operations. [District Rule 4663] Federally Enforceable Through Title V Permit
18. Records of the daily VOC emissions from this unit shall be kept. Daily VOC emissions may be calculated from the monthly materials (inks, coatings, solvents, fountain solutions, wash primers, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Record of the total daily VOC emissions from all permitted graphic arts printing and corrugated board finishing operations in the facility shall be kept. [District Rules 2201 and 4607] Federally Enforceable Through Title V Permit
20. Record of the VOC emissions from this unit, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
21. Record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

22. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA inspection upon request. [District Rules 2201, 4607 and 4663] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-34-0

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

MASTERFOLD 110 GNB CARTONPACK GT FOLDER GLUER WITH A MASTER EASYFEEDER GT AUTOMATIC CARTON FEEDER, USED FOR THE MANUFACTURING OF WINE CARTONS AND SIMILAR PRODUCTS

PERMIT UNIT REQUIREMENTS

1. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
2. The VOC emissions from this operation shall not exceed 14.3 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The VOC emissions from this operation shall not exceed 4,284 lb in any one year. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The VOC content of the adhesives applied shall not exceed 2.0 percent by weight, less water and exempt compounds. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The facility-wide VOC emissions shall not exceed 73,403 pounds on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The operator shall store and dispose of adhesive products and spent solvents and waste solvent materials such as cloth, paper, etc. in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing material or when the containers are empty. [District Rule 4653] Federally Enforceable Through Title V Permit
7. The operator shall minimize spills of VOC-containing adhesive products and process related waste materials. [District Rule 4653] Federally Enforceable Through Title V Permit
8. No owner or operator shall use organic solvents for cleaning operations that exceed the VOC content limits specified as follows: A) Product cleaning during manufacturing process or surface preparation for adhesive application, 25 g/l (0.21 lb/gal); B) repair and maintenance cleaning, 25 g/l (0.21 lb/gal); C) cleaning of adhesive application equipment, 25 g/l (0.21 lb/gal). [District Rule 4653] Federally Enforceable Through Title V Permit
9. Records of the VOC content, in grams/liter, of all adhesives, all solvents, and all other VOC containing materials used and stored at the stationary source shall be kept. [District Rule 4653] Federally Enforceable Through Title V Permit
10. Permittee shall keep the following records for solvent cleaning activities: manufacturers product data sheet or MSDS of solvents used, VOC content of solvents in g/l or lb/gal, and the type of cleaning activity for which each solvent is used. [District Rule 4653] Federally Enforceable Through Title V Permit
11. Permittee shall maintain records of the daily VOC emissions from the adhesive operation. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. Permittee shall maintain records of the annual VOC emissions from the adhesive operation. This record shall be updated on at least a monthly basis. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The facility shall keep a record of the cumulative facility-wide VOC emissions on a rolling 12-month basis. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 2201 and 4653] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3606-36-0

EXPIRATION DATE: 04/30/2019

EQUIPMENT DESCRIPTION:

CORRUGATED BOARD CONTAINERS MANUFACTURING OPERATION CONSISTING OF A HEIDELBERG MODEL DIANA X 115 BOARD FOLDING AND GLUING MACHINE

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. VOC content of the adhesives used for this operation shall not exceed 0.021 lb/gal (less water and exempt compounds). [District Rule 2201] Federally Enforceable Through Title V Permit
3. VOC emissions from this permit unit shall not exceed 10.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Total VOC emission from all corrugated board containers manufacturing operations permitted under N-3606-3, N-3606-19, N-3606-21, N-3606-25, N-3606-27, and this unit shall not exceed 30.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Facility-wide VOC emissions shall not exceed 73,403 lb/year on a rolling 12-month basis. [District Rule 2201] Federally Enforceable Through Title V Permit
6. Monthly records shall be maintained and contain the following information: (a) quantity, and safety data sheet (SDS) or product data sheet showing the material name, manufacture's name, VOC content (as applied, and less water and exempt compounds) of all adhesive, primer, solvent, and cleaning material used on the corrugated board containers manufacturing operations; (b) the combined total amount of VOC's emitted from the use of all VOC containing material (in pounds) on the corrugated board containers manufacturing operations; and (c) the dates of operation of this permit unit. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Records of the daily VOC emissions from this permit unit shall be kept. Daily VOC emissions may be calculated from the monthly materials (adhesive, primer, solvent, cleaning material, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Record of the total daily VOC emissions from all permitted corrugated containers manufacturing operations in the facility shall be kept. Daily VOC emissions may be calculated from the monthly materials (adhesive, primer, solvent, cleaning material, etc.) usage records and the number of days per calendar month this unit was operated. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Record of the facility-wide VOC emissions, on a rolling 12-month basis, shall be kept. The record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be maintained for a period of at least five years and shall be made available to the District, ARB and EPA inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT C

Detailed Summary List of Facility Permits

PACIFIC SOUTHWEST CONTAINER 4530 LECKRON RD MODESTO, CA 95357	FAC # N 3606		TYPE: TitleV TOXIC ID: 51641	EXPIRE ON: 04/30/2019 AREA: 8 / INSP. DATE: 04/20
	STATUS: A			
	TELEPHONE: 2095260444			

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-3606-4-6	265 HP	3020-01 E	1	495.00	495.00	A	CORRUGATED BOARD MANUFACTURING OPERATION CONSISTING OF AN ASITRADE LAMINATOR SERVED BY A RINGWOOD STARCH MIXING SYSTEM AND A PERMIT EXEMPT STEAM GENERATOR (NATURAL GAS-FIRED, 5.0 MMBTU/HR OR LESS)
N-3606-11-9	30 HP	3020-01 B	1	143.00	143.00	A	CORRUGATED BOARD FINISHING OPERATION CONSISTING OF AN AUTOMATAN MODEL 7000 SHEETFEED GLUER
N-3606-13-7	75 HP	3020-01 C	1	239.00	239.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 4-COLOR MARTIN MIDLINE MODEL 924 FLEXOGRAPHIC PRINTER (S/N 6208) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)
N-3606-14-7	100 HP	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 3-COLOR MARTIN MODEL DRO 1628 FFG FLEXOGRAPHIC PRINTER (S/N 6506) WITH A FOLDER, GLUER, AND PERMIT EXEMPT ROTARY DIE-CUTTER (LOW EMITTING UNIT)
N-3606-16-7	100 HP	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A 6-COLOR KBA RAPIDA MODEL 162 SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 361264 AKA UV64) WITH AN INLINE COATER AND UV DRYER
N-3606-19-5	30 hp	3020-01 B	1	143.00	143.00	A	CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE DOMINO MODEL 110M II MATIC BOX MAKER (S/N 0349-063-01)
N-3606-21-5	15 hp	3020-01 A	1	107.00	107.00	A	CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STAUDE WINDOW MACHINE (S/N WSI-2307)
N-3606-23-6	110 HP	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A PLANETA MODEL 105 (8 COLOR) SHEETFEED NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 364565 AKA UV40) WITH AN INLINE COATER AND UV DRYING SYSTEM
N-3606-24-5	147 HP	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA RAPIDA 6-COLOR 47"x64" FORMAT NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 363742 AKA P64) WITH AN ANILOX TOWER COATER
N-3606-25-3	7.5 hp	3020-01 A	1	107.00	107.00	A	CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE INTERNATIONAL PAPERBOX MODEL 6FX-154 20" WEB WIDTH FOLDER GLUER
N-3606-26-6	148 electric motor HP	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A KBA MODEL RAPIDA 162A 64" NON-HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS (S/N 368024 AKA C64)
N-3606-27-4	20 hp electric motors	3020-01 A	1	107.00	107.00	A	CORRUGATED BOX MANUFACTURING OPERATION CONSISTING OF ONE STANDARD MAX 1100 30" WEB WIDTH FOLDER GLUER

Detailed Facility Report

For Facility=3606 and excluding Deleted Permits

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-3606-32-1	160.9 hp	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-6+LX2 OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN ELECTRICAL HEATER (H64-1)
N-3606-33-0	160.9 hp	3020-01 D	1	379.00	379.00	A	GRAPHIC ARTS PRINTING OPERATION CONSISTING OF A HEIDELBERG MODEL XL162-8+LEOP OFFSET LITHOGRAPHIC PRINTING PRESS WITH AN AMS MODEL XP-9 UV LED CURING SYSTEM (H64-2)
N-3606-34-0	134 electric HP	3020-01 D	1	379.00	379.00	A	MASTERFOLD 110 GNB CARTONPACK GT FOLDER GLUER WITH A MASTER EASYFEEDER GT AUTOMATIC CARTON FEEDER, USED FOR THE MANUFACTURING OF WINE CARTONS AND SIMILAR PRODUCTS
N-3606-36-0	Total 36.69 hp	3020-01 B	1	143.00	143.00	A	CORRUGATED BOARD CONTAINERS MANUFACTURING OPERATION CONSISTING OF A HEIDELBERG MODEL DIANA X 115 BOARD FOLDING AND GLUING MACHINE

Number of Facilities Reported: 1