



May 18, 2020

Mr. Justin McManis
McManis Family Vineyards
18700 E River Rd
Ripon, CA 95366

Re: Final - Authorities to Construct / Certificates of Conformity (Significant Mod)
Facility Number: N-9371
Project Number: N-1193660

Dear Mr. McManis:

The Air Pollution Control Officer has issued Authorities to Construct (ATCs) N-9371-338-0 through '-367-0 with Certificates of Conformity to McManis Family Vineyards at 18700 E River Rd, Ripon. The proposed project is to install six 74,014-gallon (each) and twenty-four 36,600-gallon (each) wine storage tanks. These tanks are solely dedicated to wine storage operation. Enclosed are the ATCs and a copy of the notice of final action that has been posted on the District's website (www.valleyair.org).

Notice of the District's preliminary decision to issue the ATCs was posted on April 2, 2020. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on April 2, 2020. No comments were received following the District's preliminary decision on this project.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Prior to operating with the modifications authorized by the ATCs, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5. Application forms are found on the District's website at www.valleyair.org/permits/TVforms.

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585

Mr. Justin McManis
Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Nick Peirce, Permit Services Manager, at (209) 557-6400.

Sincerely,



Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Courtney Graham, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via EPS

Facility # N-9371
MCMANIS FAMILY VINEYARDS
18700 E RIVER RD
RIPON, CA 95366

AUTHORITY TO CONSTRUCT (ATC)

QUICK START GUIDE

1. **Pay Invoice:** Please pay enclosed invoice before due date.
2. **Modify Your Title V Permit.** Prior to operating the equipment authorized under this ATC, submit an application to modify your Title V permit. See application forms at <http://www.valleyair.org/permits/TVforms>.
3. **Fully Understand ATC:** Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
4. **Follow ATC:** You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
5. **Notify District:** You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
6. **Source Test:** Schedule and perform any required source testing. See http://www.valleyair.org/busind/comply/source_testing.htm for source testing resources.
7. **Maintain Records:** Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years. Sample record keeping forms can be found at http://www.valleyair.org/busind/comply/compliance_forms.htm.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

**For assistance, please contact District Compliance staff at
any of the telephone numbers listed below.**

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (861) 392-5500 FAX: (861) 392-5585



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-338-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-338-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-339-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-2) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-339-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-340-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-340-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-341-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-4) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-341-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-342-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-342-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-343-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

74,104 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #HH-6) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-343-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 22 feet 6 inches in diameter and 26 feet in height with a proposed volume of 74,104 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 148,208 gallons per day and 296,416 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-344-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-344-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-345-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-2) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-345-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-346-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-346-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-347-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-4) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-347-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-348-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-348-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-349-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-6) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-349-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-350-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-350-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-351-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #AAA-8) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-351-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-352-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-352-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-353-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-2) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-353-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-354-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-354-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-355-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-4) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-355-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-356-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-356-0 : May 19 2020 9:51AM -- KAHLONJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-357-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-6) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-357-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-358-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-358-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-359-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #FFF-8) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-359-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-360-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-360-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-361-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-2) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-361-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-362-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-362-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-363-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-4) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-363-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-364-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-364-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]

AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-365-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-6) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-9371-365-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-366-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-366-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]



AUTHORITY TO CONSTRUCT

PERMIT NO: N-9371-367-0

ISSUANCE DATE: 05/19/2020

LEGAL OWNER OR OPERATOR: MCMANIS FAMILY VINEYARDS

MAILING ADDRESS: 18700 E RIVER RD
RIPON, CA 95366

LOCATION: 18700 E RIVER RD
RIPON, CA 95366

EQUIPMENT DESCRIPTION:

36,600 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #GGG-8) WITH PRESSURE/VACUUM VALVE AND INSULATION

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under Authority to Construct N-9371-338-0 through '-367-0, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 283 lb, 2nd quarter - 283 lb, 3rd quarter - 284 lb, and 4th quarter - 284 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 8/15/19) for the ERC specified below. [District Rule 2201]
4. ERC Certificate Number S-5124-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
5. Authority to Construct permits N-9371-338-0 through '-367-0 shall be implemented concurrently. [District Rule 2201]
6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Samir Sheikh, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-9371-367-0 : May 19 2020 9:51AM -- KAHLOHJ : Joint Inspection NOT Required

7. The nominal tank dimensions are 17 feet 9 inches in diameter and 20 feet in height with a proposed volume of 36,600 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201]
8. This tank shall be used exclusively for wine storage operations only and not for fermentation. [District Rule 2201]
9. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
10. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
11. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. [District Rules 2201 and 4694]
12. The ethanol content of wine stored in this tank shall not exceed 16.0 percent by volume. [District Rule 2201]
13. Wine storage throughput in this tank shall not exceed any of the following: 73,200 gallons per day and 146,400 gallons per year. [District Rule 2201]
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694]
15. The operator shall maintain records of annual throughput of wine. These records shall be updated at least on a monthly basis. [District Rule 2201]
16. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]
17. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694]